



Screwdriving



- ▶ **Screwdriver Bits** | 69
 - Standard Quality | 69
 - Titanium Quality | 72
 - Depth Stop | 74
- ▶ **Screwdriver Bits** | 75
- ▶ **Double Ended Bits** | 76
- ▶ **Universal Holders** | 77
- ▶ **Socket Spanners** | 78

Extra grip for extra performance:

The Titanium Bosch Bits.

Advantages

- ▶ Extremely firm fit in any screw
- ▶ Particularly long lifetime

All screwdriving and fastening work completed in no time.



Equipped for any application.

With its titanium and standard bits, Bosch can offer the right bit for every application and for every conventional screw.

All screwdriver bits have a 1/4" external hexagon in accordance with DIN 3126 and are tuned to commercially available sizes or thread diameters of slotted, cross headed, Torx® and internal hexagon screws.



- Internal hexagon (IS)
- Slotted screw (LS)
- ⊕ Pozidriv® (Pz)
- ⊕ Phillips (Ph)
- ⊕ Torx® (T)

Bosch bits always provide a practical solution.

Bit dimensions mm	Screw thread diameter range mm
Slotted screws	
0.5 x 4.0	2.2
0.6 x 4.5	2.2 – 2.6
0.8 x 5.5	2.9 – 3.5
1.0 x 5.5	3.5 – 4.5
1.2 x 6.5	4.0 – 5.0
1.2 x 8.0	4.8 – 5.5
1.6 x 8.0	5.5 – 6.3

Bit dimensions	Screw thread diameter range mm
Phillips and Pozidriv® screws	
Ph 0	1.6 – 2.0
Ph1/Pz1	2.2 – 3.0
Ph2/Pz2	3.5 – 5.0
Ph3/Pz3	5.5 – 7.0
Ph4/Pz4	8.0 – 10.0

Torx® screws	
T8	2.5 – 2.9
T9	2.9
T10	3.0 – 3.5
T15	3.5 – 3.9
T20	4.0 – 4.5
T25	4.5 – 5.5
T27	4.5 – 6.0
T30	6.0 – 7.0

Bit dimensions mm Key width	Screw thread diameter range mm
Hex screws	
1.5	1.6 – 3.0
2.0	3.0 – 4.0
2.5	3.0 – 5.0
3.0	4.0 – 6.0
4.0	5.0 – 8.0
5.0	6.0 – 10.0
6.0	8.0 – 14.0
8.0	10.0 – 18.0

Pozidriv® is a registered trademark of European Industrial Services Tools.
Torx® is a registered trademark of Camcar Div., Textron Inc.


Screwdriver Bits

Bits - Standard Quality

Drive as per DIN 3126-C6.3 for use in universal holders.

Available for screws: Phillips, Pozidriv®, Torx®, slotted screw, internal hexagon





► Screwdriver Bits




Screw head	Screwdriving head size	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
LS	0.6 x 4.5	25	2	10	2 609 255 908	3 165140 389778 >
LS	0.8 x 5.5	25	2	10	2 609 255 909	3 165140 389785 >
LS	1.0 x 1.0	25	2	10	2 609 255 910	3 165140 389792 >
LS	1.2 x 1.2	25	2	10	2 609 255 911	3 165140 389808 >
LS	1.6 x 8.0	25	2	10	2 609 255 912	3 165140 389815 >
Ph	1	25	2	10	2 609 255 913	3 165140 389822 >
Ph	2	25	2	10	2 609 255 914	3 165140 389839 >
Ph	3	25	2	10	2 609 255 915	3 165140 389846 >
Pz	1	25	2	10	2 609 255 922	3 165140 389914 >
Pz	2	25	2	10	2 609 255 923	3 165140 389921 >
Pz	3	25	2	10	2 609 255 924	3 165140 389938 >
T	8	25	2	10	2 609 255 931	3 165140 390002 >
T	10	25	2	10	2 609 255 932	3 165140 390019 >
T	15	25	2	10	2 609 255 933	3 165140 390026 >
T	20	25	2	10	2 609 255 934	3 165140 390033 >
T	25	25	2	10	2 609 255 935	3 165140 390040 >
T	27	25	2	10	2 609 255 936	3 165140 390057 >



Bits - Standard Quality

Screw head	Screwdriving head size	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
T	30	25	2	10	2 609 255 937	 3 165140 390064 >
T	40	25	2	10	2 609 255 938	 3 165140 390071 >
Is	2	25	2	10	2 609 255 947	 3 165140 390163 >
Is	3	25	2	10	2 609 255 948	 3 165140 390170 >
Is	3	25	2	10	2 609 255 949	 3 165140 390187 >
Is	4	25	2	10	2 609 255 950	 3 165140 390194 >
Is	5	25	2	10	2 609 255 951	 3 165140 390200 >
Is	6	25	2	10	2 609 255 952	 3 165140 390217 >
Is	8	25	2	10	2 609 255 953	 3 165140 390224 >



Bits - Standard Quality 3-piece set

Set contents	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
LS 0.6 x 4.5, LS 0.8 x 5.5, LS 1.2 x 6.5	25	3	10	2 609 255 963	 3 165140 390323 >
Ph 1, Ph 2, Ph 3	25	3	10	2 609 255 964	 3 165140 390330 >
PZ 1, PZ 2, PZ 3	25	3	10	2 609 255 967	 3 165140 390361 >
LS 0.6 x 4.5, Ph 1, Pz 1	25	3	10	2 609 255 973	 3 165140 390422 >
LS 1.0 x 5.5, Ph 1, Pz 1	25	3	10	2 609 255 974	 3 165140 390439 >



Bits - Standard Quality 5-piece set


T 10, T 15, T 20, T 25, T 30	25	5	10	2 609 255 970	 3 165140 390392 >
------------------------------	----	---	----	---------------	---



Bits - Standard Quality 7-piece set



Set contents	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
UH 54, T 10, T 15, T 20, T 25, T 30, T 40	25	7	1	2 609 255 980	3 165140 390491 >
UH 54, Ph 1, Ph 2, Ph 3, Pz 1, Pz 2, Pz 3	25	7	1	2 609 255 981	3 165140 390507 >
UH 54, LS 0.8 x 5.5, LS 1.2 x 8.0, Ph 1, Ph 2, Pz 1, Pz 2	25	7	1	2 609 255 982	3 165140 390514 >



Bits - Standard Quality 10-piece screwdriver bit box



UH 54, LS 0.5 x 4.0, LS 0.8 x 5.5, LS 1.2 x 8.0 Ph 1, Ph 2, Ph 3 Pz 1, Pz 2, Pz 3	25	10	1	2 609 255 975	3 165140 390446 >
UH 54, T 10, T 15, T 20, T 25 (2x), T 27, T 30, T 40 (2x)	25	10	1	2 609 255 976	3 165140 390453 >

Bits - Standard Quality 16-piece set



UH 54, LS 0.8 x 5.5, LS 1.2 x 8.0, Ph 1, Ph 2 (2x), Ph 3, Pz 1, Pz 2 (2x), Pz 3, T 15, T 20, T 25, T 30, T 40	25	16	1	2 609 255 977	3 165140 390460 >
---	----	----	---	---------------	-------------------

Bits - Standard Quality 31-piece bit box




QC UH, Ph 0/1/2/3, Pz 0/1/2/3, Sec Torx 7/8/10/15/20/25/ 27/30/40, LS 3/4/4.5/5.5/6.5/8, Is 2/3/4/5/6/7/8	25	31	1	2 609 255 987	3 165140 390569 >
---	----	----	---	---------------	-------------------

Bit - Titanium Quality

Titanium nitride coated bit, drive as per DIN 3126-C6.3 for use in universal holders.

Available for screws: Phillips, Pozidriv®, Torx®



Screw head	Screwdriving head size	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
Ph	1	25	2	10	2 609 255 916	3 165140 389853 >
Ph	2	25	2	10	2 609 255 917	3 165140 389860 >
Ph	3	25	2	10	2 609 255 918	3 165140 389877 >
Pz	1	25	2	10	2 609 255 925	3 165140 389945 >
Pz	2	25	2	10	2 609 255 926	3 165140 389952 >
Pz	3	25	2	10	2 609 255 927	3 165140 389969 >
T	8	25	2	10	2 609 255 939	3 165140 390088 >
T	10	25	2	10	2 609 255 940	3 165140 390095 >
T	15	25	2	10	2 609 255 941	3 165140 390101 >
T	20	25	2	10	2 609 255 942	3 165140 390118 >
T	25	25	2	10	2 609 255 943	3 165140 390125 >
T	27	25	2	10	2 609 255 944	3 165140 390132 >
T	30	25	2	10	2 609 255 945	3 165140 390149 >
T	40	25	2	10	2 609 255 946	3 165140 390156 >

Bit - Titanium Quality 3-piece set



Set contents	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
Ph 1, Ph 2, Ph 3	25	3	10	2 609 255 965	3 165140 390347 >
Pz 1, Pz 2, Pz 3	25	3	10	2 609 255 968	3 165140 390378 >

Bit - Titanium Quality 7-piece set




UH 54, T 10, T 15, T 20, T 25, T 30, T 40	25	7	1	2 609 255 983	3 165140 390521 >
UH 54, Ph 1, Ph 2, Ph 3, Pz 1, Pz 2, Pz 3	25	7	1	2 609 255 984	3 165140 390538 >
UH 54, LS 0.8 x 5.5, LS 1.2 x 8.0, Ph 1, Ph 2, Pz 1, Pz 2	25	7	1	2 609 255 985	3 165140 390545 >

Bit - Titanium Quality 10-piece screwdriver bit box





UH 54, LS 0.6 x 4.5, LS 0.8 x 5.5, LS 1.2 x 8.0, Ph 1, Ph 2, Ph 3, Pz 1, Pz 2, Pz 3	25	10	1	2 609 255 978	3 165140 390477 >
UH 54, T 10, T 15, T 20, T 25 (2x), T 27, T 30, T 40 (2x)	25	10	1	2 609 255 979	3 165140 390484 >



Depth stop with clutch and screwdriver bit

For accurate adjustment of the drilling depth. Made of tool steel.

- ▶ For flush screwdriving in soft materials
- ▶ 1/4" external hexagon shank as per DIN 3126-C6.3




Screw head	Screwdriving head size	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
Ph	2	60	1	1	2 609 255 905	3 165140 389761 >

Depth stop with screwdriver bit for plasterboard

For accurate adjustment of the drilling depth.

Made of tool steel. For flush screwdriving in soft materials (plasterboard).



Screw head	Screwdriving head size mm	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
Ph	2	60	1	10	2 609 255 906	3 165140 389747 >
Pz	2	60	1	10	2 609 255 907	3 165140 389754 >


Screwdriver bits

Screwdriver bits

The standard version bit with good price/performance ratio.

Also in a practical set.

- Drive as per DIN 3126-E6.3 for direct use in power tools



Screw head	Screwdriving head size	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
Ph	1	49	2	1	2 609 255 919	3 165140 389884 >
Ph	2	49	2	1	2 609 255 920	3 165140 389891 >
Ph	3	49	2	1	2 609 255 921	3 165140 389907 >
Pz	1	49	2	1	2 609 255 928	3 165140 389976 >
Pz	2	49	2	1	2 609 255 929	3 165140 389983 >
Pz	3	49	2	1	2 609 255 930	3 165140 389990 >

3-piece screwdriver bit set




Set contents	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
Ph 1, Ph 2, Ph 3	89	3	1	2 609 255 966	3 165140 390354 >
Pz 1, Pz 2, Pz 3	89	3	1	2 609 255 969	3 165140 390385 >
T 8, T 10, T 15	89	3	1	2 609 255 971	3 165140 390408 >
T 20, T 25, T 30	89	3	1	2 609 255 972	3 165140 390415 >

Double ended bits

Double ended bits

Two bits in one. Also in a practical set.

- ▶ Two bits in one
- ▶ For direct use in power tools



Set contents	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
LS 1.0x5.5 - Ph 2	45	1	10	2 609 255 954	3 165140 390231 >
Ph 2 - Pz 2	45	1	10	2 609 255 955	3 165140 390248 >
Ph 2 - Ph 2	45	1	10	2 609 255 956	3 165140 390255 >
Pz 2 - Pz 2	45	1	10	2 609 255 957	3 165140 390262 >

3-piece double ended bit set



Set contents	Length mm	Sales package qty	Despatch package qty	Part number	Barcode
LS 0.6 x 4.5 - Pz 1 LS 0.8 x 5.5 - Pz 2 LS 1.2 x 6.5 - Pz 3	60	3	10	2 609 255 958	3 165140 390279 >
LS 0.6 x 4.5 - Ph 1 LS 0.8 x 5.5 - Ph 2 LS 1.2 x 6.5 - Ph 3	60	3	10	2 609 255 959	3 165140 390286 >
LS 0.6 x 4.5 - LS 1.0 x 5.5 Ph 1 - Ph 2 Pz 1 - Pz 2	60	3	10	2 609 255 960	3 165140 390293 >
Ph 1 - Ph 1 Ph 2 - Ph 2 Ph 3 - Ph 3	60	3	10	2 609 255 961	3 165140 390309 >
Pz 1 - Pz 1 Pz 2 - Pz 2 Pz 3 - Pz 3	60	3	10	2 609 255 962	3 165140 390316 >



Universal holders

Universal holders

For fast bit changes when used in power tools.

Suitable for bits with 1/4" drive as per DIN 3126-C6.3.

- ▶ Bosch universal holders are available with 1/4" bit holder
- ▶ For use in power tools with SDS-plus drill chuck
- ▶ Firm hold of the bits due to permanent magnet




Overall length mm	Type	Permanent magnet	Spring ring	Sales package qty	Despatch package qty	Part number	Barcode
54	1/4" external hex shank	+	Without spring ring	1	1	2 609 255 900	3 165140 389693 >
75	1/4" external hex shank	+	With spring ring	1	1	2 609 255 901	3 165140 389709 >
59	1/4" external hex shank	+	with quick-change chuck	1	1	2 609 255 902	3 165140 389716 >

SDS-plus universal holder

For fast bit changes when used in power tools.

Suitable for bits with 1/4" drive as per DIN 3126-C6.3.

- ▶ Bosch universal holders are available with 1/4" bit holder
- ▶ For use in power tools with SDS-plus drill chuck
- ▶ Firm hold of the bits due to permanent magnet




Overall length mm	Type	Permanent magnet	Spring ring	Sales package qty	Despatch package qty	Part number	Barcode
78	SDS-plus shank	+	with quick-change chuck	1	1	2 609 255 903	3 165140 389723 >

Socket spanners

Socket spanner set

Socket spanners for external hex screws. External hex screws, in a set.

- ▶ Socket spanner has a 1/4" external hex shank as per DIN 3126-C6.3



Key width	Length mm	Shank type	Sales package qty	Despatch package qty	Part number	Barcode
KW7	36	1/4" external hex shank DIN 3126-C6.3	4	1	2 609 255 904	3 165140 389730 >
KW8	36					
KW10	38					
KW13	38					

- Slotted screw (LS)
- ⊕ Phillips (Ph)
- Internal hexagon (IS)
- ⊛ Pozidriv® (Pz)
- ⊛ Torx® (T)

QC UH = Quick Change Universal Holder

Torx® is a registered trademark of Camcar Div., Textron Inc.

Pozidriv® is a registered trademark of European Industrial Service Tools.